

**Title of Research:**

12\_S02-01-2

**Evaluation of the relationship between physicochemical properties and biodistribution of nanomaterials**

**Principal Investigator:**

Yasuo Yoshioka (Laboratory of Toxicology and Safety Science, Graduate School of Pharmaceutical Sciences, Osaka University)

1-6 Yamadaoka, Suita, Osaka 565-0871, Japan. (tel) +81-6-6879-8233 (e-mail) yasuo@phs.osaka-u.ac.jp

**Collaborators:**

Makiko Kuwagata (Laboratory of Pathology, Toxicology Division, Hatano Research Institute, Food and Drug Safety Center)

729-5 Ochiai, Hadano, Kanagawa 257-8523, Japan. (tel) +81-463-82-4751 (e-mail) kuwagata.m@fdsc.or.jp

**Summary of Research:**

Advances in nanotechnology have led to the recent development of many nanomaterials. However, the increasing use of nanomaterials has prompted public concern regarding their potential safety. Because nanomaterials have great potential to improve the quality of human life, it is essential to ensure the safety of nanomaterials for the development of safety-assessed products. The safety of nanomaterials is related to the dose, concentration, and duration of the exposure and their abundance and persistence in tissue. Accordingly, a systematic and thorough analysis of the Absorption, Distribution, Metabolism, and Excretion (ADME) of nanomaterials is essential as the basis for determining the potential for risk to human health. In addition, understanding of the ADME of nanomaterials is necessary in regard to their tissue toxicity. In this study, we examined the absorption of nanomaterials via skin route. We used nickel particles with the diameter of 3 nm and gold nanoparticle with the diameter of 10 nm. Our results showed that the penetration ability of these nanoparticles via skin was 0.01% or less. The data could provide information to ensure the safety of nanomaterials.

**Timeline:**

2013/11/1 -2015/2/28

**Topics:**

None

**Publications:**

In preparation